

Formulation

Name	GENTLE SHAMPOO																					
No.	715																					
Description	This formulation provides mild cleansing for fine hair.																					
Formulation	<p><u>INGREDIENTS:</u></p> <p>==== Phase 1 ====</p> <table border="0"> <tr> <td>STEOL® CS-330</td> <td style="text-align: right;">30.0</td> </tr> <tr> <td>STEPANOL® AM-V</td> <td style="text-align: right;">15.0</td> </tr> <tr> <td>AMMONYX® LO</td> <td style="text-align: right;">1.0</td> </tr> <tr> <td>NINOL® 40-CO</td> <td style="text-align: right;">2.0</td> </tr> <tr> <td>Glycerin (Uniqema)</td> <td style="text-align: right;">3.0</td> </tr> <tr> <td>Methocel F4M (Dow) Hydroxypropyl Methycellulose</td> <td style="text-align: right;">0.4</td> </tr> </table> <p>==== Phase 2 ====</p> <table border="0"> <tr> <td>Sodium Chloride</td> <td style="text-align: right;">1.0</td> </tr> <tr> <td>Citric Acid</td> <td style="text-align: right;">q.s.</td> </tr> <tr> <td>Fragrance, Dye, & Preservative</td> <td style="text-align: right;">q.s.</td> </tr> <tr> <td>Deionized Water</td> <td style="text-align: right;">q.s. to 100.0</td> </tr> </table> <p>Total</p>	STEOL® CS-330	30.0	STEPANOL® AM-V	15.0	AMMONYX® LO	1.0	NINOL® 40-CO	2.0	Glycerin (Uniqema)	3.0	Methocel F4M (Dow) Hydroxypropyl Methycellulose	0.4	Sodium Chloride	1.0	Citric Acid	q.s.	Fragrance, Dye, & Preservative	q.s.	Deionized Water	q.s. to 100.0	<p><u>% by Weight</u></p> <hr/> <p>100.0</p>
STEOL® CS-330	30.0																					
STEPANOL® AM-V	15.0																					
AMMONYX® LO	1.0																					
NINOL® 40-CO	2.0																					
Glycerin (Uniqema)	3.0																					
Methocel F4M (Dow) Hydroxypropyl Methycellulose	0.4																					
Sodium Chloride	1.0																					
Citric Acid	q.s.																					
Fragrance, Dye, & Preservative	q.s.																					
Deionized Water	q.s. to 100.0																					
Procedure	<ol style="list-style-type: none"> 1. Heat one-third of the required Deionized Water to 80 °C (176 °F). 2. Add Methocel F4M and agitate until all particles have been dispersed. 3. Turn off heat and add the remainder of the Deionized Water. 4. Agitate until the solution is clear and particle free. 5. Add the remaining ingredients from Phase 1 and mix until homogeneous. 6. Adjust pH with Citric Acid to 6.0-6.5. 7. Add Fragrance, Dye, and Preservative, as desired. 8. Viscosity may be modified by the addition of Sodium Chloride. <p>*Note: When formulating with STEOL® CS-330 HP, a greater amount of Citric Acid may be needed to adjust the pH within the recommended range as noted, than when formulating with STEOL® CS-330.</p>																					
Physical Properties	Appearance at 25°C	Liquid																				
	pH, as is	6.0-6.5																				
Storage/ Stability	6 months at 25°C	Stable																				
	3 months at 42°C	Stable																				
	1 month at 50°C	Stable																				
Instructions for Use	Apply to wet hair, work into lather, and rinse thoroughly.																					
External Comment	Marketing Notes: STEPANOL® AMV PCK may be a potential substitute for STEPANOL® AM-V. It should be noted that stability testing using this STEPANOL® AMV PCK has not been completed on this formulation. The substitution may yield slightly different physical properties.																					
Registered Trademarks of Stepan	AMMONYX® NINOL® STEOL®																					

Company

STEPANOL®

For
Additional
Assistance

For applications or product handling assistance, call our Technical Service Department at 1-800-745-7837 (U.S.) or 011-334-76-505-100 (Europe).
For ordering assistance, call our Account Service Department at 1-800-457-7673.

The information contained herein is based on the manufacturer's own study and the works of others and is subject to change without prior notice. The information is not intended to be all-inclusive, including as to the manner and conditions of use, handling, storage or disposal or other factors that may involve additional legal, environmental, safety or performance considerations. Nothing contained herein grants or extends a license, express or implied, in connection with any patents issued or pending of the manufacturer or others, or shall be construed as a recommendation to infringe any patents. **STEPAN COMPANY MAKES NO PRODUCT WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR USE, EXPRESS OR IMPLIED, AND NO OTHER WARRANTY OR GUARANTY, EXPRESS OR IMPLIED, IS MADE, INCLUDING AS TO INFORMATION REGARDING PERFORMANCE, SAFETY, SUITABILITY, STABILITY, ACCURACY, COMPLETENESS, OR ADEQUACY.** Stepan Company (and its employees, subsidiaries and affiliates) shall not be liable (regardless of fault) to the vendee, its employees, or any other party for any direct, indirect, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy, furnishing, use, or reliance upon information provided herein. The vendee assumes and releases Stepan Company (and its employees, subsidiaries and affiliates) from all liability, whether in tort, contract or otherwise to the fullest extent possible under the relevant law.



Stepan Company
Northfield, Illinois 60093
Telephone (847) 446-7500

Revision Date: 12/18/2019 Publication Date: 04/23/2007 © 2019, Stepan Company. All rights reserved.