

SC-RTU DISINFECTANT CLEANER

(Optional statements :)

(CLEANER)(NEW)(QUICK)(EASY)(EFFECTIVE)(FAST EFFECTIVE)
(CONVENIENT)

CLEANS, DISINFECTS & DEODORIZES

ALL PURPOSE CLEANER

ANTIBACTERIAL FORMULA DISINFECTS and CLEANS

(ORANGE)(LEMON)(FRESH)(PINE)(LAVENDER)(SCENTED)(SCENT)

(BLEACH-FREE)(ALCOHOL-FREE)

*VIRUCIDAL//BACTERICIDAL//PSEUDOMONICIDAL

Kills (Rhinovirus) (Norovirus) (Canine Parvovirus) in 5 minutes (!)

Kills Poliovirus in 5 minutes (!)

Kills 99.9% of Bacteria in (just) 5 Seconds (!)**

Disinfects (household), (kitchen) and/or (bathroom) bacteria[†]

Kills Pandemic 2009 H1N1 Influenza A virus (formerly called swine flu)

Kills Flu Virus

Kills Cold^{††} Virus

Kills Cold^{††} and Flu (Viruses)

Kills Carbapenem Resistant Enterobacteriaceae (CRE)^{†††}

** *Staphylococcus aureus* (Staph), *Klebsiella pneumoniae*

[†]*Pseudomonas aeruginosa*, *Staphylococcus aureus* (Staph), *Salmonella enterica* (Salmonella),
Methicillin Resistant *Staphylococcus aureus* (MRSA), Vancomycin Resistant *Enterococcus faecium* (VRE),
Multi-Drug Resistant (MDR) *Acinetobacter baumannii* Ceftazidime and Gentamicin Resistant, Extended
Spectrum Beta-Lactamase *Escherichia coli* (E.coli), *Klebsiella pneumoniae* New Delhi Metallo-Beta
Lactamase (NDM-1) Carbapenem Resistant.

^{††} Rhinovirus

^{†††} *Klebsiella pneumoniae* New Delhi Metallo-Beta Lactamase (NDM-1) Carbapenem Resistant.

ACTIVE INGREDIENTS

Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈)

dimethyl benzyl ammonium chloride 0.15% w/w

Alkyl (68% C₁₂, 32% C₁₄) dimethyl

ethylbenzyl ammonium chloride 0.15% w/w

DIN: 02414341

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side (back) panels for additional precautionary statements.

STEPAN CANADA INC.
3800 LONGFORD MILLS ROAD
LONGFORD MILLS ON L0K 1L0
(289) 337-1651

NET CONTENTS:

Lot No.
Expiry Date:
Patent Pending

(Optional additional bullet points for label)

- (Antibacterial) (Disinfecting) and cleaning all in one
- 99.9% effective in 5 seconds against *Staphylococcus aureus* (Staph) (ATCC 6538), *Klebsiella pneumoniae* (ATCC 4352)
- (Alcohol) (Solvent) (Bleach) free
- Antibacterial formula cleans and (disinfects) (sanitizes) in one step
- (Clean) and (Sanitize) and (Disinfect) non-porous surfaces (in any room in the house) (throughout the house)
- (Clean) and (Sanitize) and (Disinfect) any room in the house
- Cleaning made easy for all your hard, non-porous surfaces
- Cleans and cuts grease
- Cleans tough stains
- Cleans without scratching your surfaces
- Cleans, (sanitizes) (disinfects) and deodorizes
- Cuts through tough grime
- Easy Cleaning (Around the house)
- Easy to use
- Effective against odor-causing bacteria
- Effective daily use
- Effective in (sanitizing) (disinfecting) your (kitchen) (bathroom) surfaces
- Eliminates odors
- Fast and easy way to clean
- Fast and effective cleaning
- For all non-porous household surfaces
- For all your (heavy) (light) duty jobs
- (Hospital) (General) disinfectant ready-to-use (RTU) spray
- Great for on-the-go cleaning
- Hard surface (disinfecting) (sanitizing) spray
- Ideal for cleaning and (sanitizing) (disinfecting) any non-porous surface
- Kills 99.9% of *Staphylococcus aureus* (Staph) (ATCC 6538), *Klebsiella pneumoniae* (ATCC 4352) in (just) 5 seconds (!)
- Kills common (household) (kitchen) (bathroom) bacteria
- (Kitchen) and (Bathroom) spray
- Leaves a clean, fresh scent
- Leaves your (bathroom) (kitchen) fresh and clean
- Multi-purpose (sanitizing) (disinfecting) spray
- One-step cleaning
- Quick and easy clean-ups
- Quick cleaning
- Ready to use (R-T-U) spray
- (Sanitize) (Disinfect) your household hard non-porous surfaces: highchairs, booster seats, strollers, car seats, cribs, tabletops, countertops, appliance exteriors, sinks, and glazed tiles
- (Sanitizing) and/or (Disinfecting) spray
- Saves time
- (Solvent) (Alcohol) (Bleach) free (sanitizing) (disinfecting) spray
- The smart way to clean and (sanitize) and/or (disinfect)
- Use every day in every room (throughout the house)
- Use in (public toilets) (Laundromats) (camp sites) (pet areas) (hotels) (motels) (lodging establishments) (manufacturing facilities) (factories) (offices) (office buildings) wherever (sanitizing) (disinfecting) is important
- Use on hard, non-porous surfaces: (stainless steel) (Formica®) (glass) (glass tables) (glazed porcelain) (plastic) (glazed stone) (glazed granite) (sealed stone) (sealed granite)
- Use on (equipment) hard, non-porous surfaces

SC-RTU DISINFECTANT CLEANER is bactericidal in the presence of organic soil (5% blood serum) against *Salmonella enterica* (ATCC 10708), *Pseudomonas aeruginosa* (ATCC 15442), *Staphylococcus aureus* (Staph) (ATCC 6538), Methicillin Resistant *Staphylococcus aureus* (MRSA) (ATCC 33591) and Vancomycin Resistant *Enterococcus faecium* (VRE) (ATCC 51559) at 5 minutes contact time.

SC-RTU DISINFECTANT CLEANER is intended for use in:

- hospitals and healthcare settings: ambulances, anesthesia, CAT labs, CCU, Central Supply, Clinics, Dental Offices, Dialysis Clinics, Doctor's office(s), Emergency Rooms, E.R., Home health care, Hospices, ICU, Laboratory, Laundry rooms, Neonatal Intensive Care Units (NICU), Newborn nursery, Nursing homes, Operating rooms, Pediatrics, Pediatric Intensive Care Units (PICU), Physical therapy, Physician's office(s), Ophthalmic offices, Radiology, Recovery Room, Rehabilitation, Respiratory therapy, Surgery, Transport vehicles, X-Ray

(and/or)

- Critical Care Areas: CCU, Emergency Rooms, E.R., I.C.U. Neonatal Intensive Care Units (NICU), Operating Rooms, Pediatric Intensive care Units (PICU), Surgery, Ophthalmic offices
- Veterinary clinics, animal hospitals, animal life science laboratories, kennels, pet animal kennels, breeding establishments, grooming establishments, pet animal quarters, zoos, pet shops, tack shops
- Animal holding areas, veterinary waiting rooms, veterinary examination rooms, veterinary X-ray rooms, veterinary operating rooms, animal transportation vehicles
- Beauty salons, barber shops, correctional facilities, funeral homes, mortuaries
- Schools, health clubs, gyms, athletic facilities, airports, transportation terminals
- Grocery stores, Shopping Centers, Delicatessens, Catering facilities, Banquet halls
- Nursery, Daycare centers
- Households, homes, residences
- Household kitchens and/or bathrooms
- Institutional kitchens and/or bathrooms

SC-RTU DISINFECTANT CLEANER will clean and disinfect hard, non-porous, surfaces of: bed railings, cabinets, carts, chairs, counters, tables, telephones, toilet seats, toilets, bathtubs, bathroom fixtures, shower stalls, sinks, tiles and vanity tops.

SC-RTU DISINFECTANT CLEANER will clean and disinfect hard, non-porous surfaces of: grocery cart handles, grocery carts, shopping carts, grocery cart child seats.

SC-RTU DISINFECTANT CLEANER will clean and disinfect hard, non-porous surfaces of: changing tables, cribs, diaper pails, trashcans, garbage cans.

SC-RTU DISINFECTANT CLEANER will clean and disinfect hard, non-porous surfaces of: cabinets, chairs, computers, countertops, desks, desktops, doorknobs, fax machines, garbage cans, headsets, keyboards, railings, seats, sinks, tables, tabletops, telephones, trashcans, appliance exteriors, (bathroom)(kitchen) faucets, bathtubs, shower (doors)(stalls), stove tops and ultrasound transducers and probes.

SC-RTU DISINFECTANT CLEANER will clean and disinfect hard, non-porous surfaces of: gym equipment, exercise machines, wrestling mats, gymnastic equipment.

Use SC-RTU DISINFECTANT CLEANER to clean and disinfect non-porous personal protective safety equipment, protective headgear, hard hats, half mask respirators, full face breathing apparatus, gas masks, goggles, spectacles, face shields, silicone rubber or PVC hearing protectors and vinyl covered ear muffs. Rinse all equipment that comes in prolonged contact with skin before reuse with clean warm water (about 120°F, 49°C), and allow to air dry. (Caution: Cleaning at the 120°F, 49°C temperature will avoid overheating and distortion of the personal safety equipment that would necessitate replacement.)

SC-RTU DISINFECTANT CLEANER is formulated to disinfect hard, non-porous, inanimate environmental surfaces such as floors, walls, metal surfaces, stainless steel surfaces, glazed porcelain, glazed ceramic tile, plastic surfaces, bathrooms, shower stalls, bathtubs, and cabinets.

SC-RTU DISINFECTANT CLEANER cleans and/or disinfects and/or deodorizes.

Disinfects in (just) 5 minutes.

Leaves hard, non-porous surfaces disinfected.

One step (cleaning) and /or (disinfecting) and/or (deodorizing).

Kills Rhinovirus, causative agent of the common cold, in 5 minutes!

(Additional Claims, Uses & Applications):

- When used as directed, SC-RTU DISINFECTANT CLEANER (contains 3000 ppm of active germicide making it) (is) effective against a wide variety (broad-spectrum) of microorganisms (including bacteria, antibiotic resistant bacteria and viruses.)
- SC-RTU DISINFECTANT CLEANER is a one-step (hospital-use) germicidal (disinfectant) cleaner and deodorant (odor-counteractant) (odor neutralizer) designed for general cleaning, (and) disinfecting (deodorizing) (of) hard, non-porous inanimate surfaces. Quickly removes dirt, grime, food residue, blood and other organic matter commonly found in hospitals (in health care facilities) (on medical surfaces). It (also) eliminates odors leaving (restroom) surfaces smelling clean and fresh. Use where odors are a problem.
- **Animal Housing Facilities (and Poultry and Swine Premises):** SC-RTU DISINFECTANT CLEANER removes dirt, grime, blood, urine, fecal matter and other common soils found in animal housing facilities, grooming facilities, kennels, pet stores, veterinary clinics, laboratories or other small animal facilities. It (also) eliminates odors leaving surfaces smelling clean and fresh.
- It cleans, disinfects and deodorizes hard, non-porous inanimate surfaces in one step. Its non-abrasive formula is designed for use on (Use daily on) (Use daily to clean and disinfect) hard, non-porous inanimate surfaces: plated or stainless steel, aluminum, chrome, glazed porcelain, glazed tile, laminated surfaces associated with floors, walls, countertops, cages, crates, kennels, and animal equipment found in animal housing facilities.
- **Public Restrooms:** SC-RTU DISINFECTANT CLEANER is a one-step disinfectant cleaner and deodorant (odor-counteractant) (odor-neutralizer) designed for general cleaning, (and) (disinfecting) (deodorizing) on hard, non-porous inanimate surfaces.
- It cleans, disinfects and deodorizes surfaces by killing odor-causing microorganisms. Its non-abrasive formula is designed for use on (restroom surfaces): glazed ceramic (restroom surfaces), glazed porcelain, chrome, stainless steel and plastic surfaces associated with floors, walls, fixtures, toilets, urinals, sinks, shower rooms and locker rooms.
- **Non-Acid Bowl (& Bathroom) Disinfectant Cleaner:** SC-RTU DISINFECTANT CLEANER is (also) a (ready-to-use) non-acid (bowl and) bathroom cleaner that cleans, disinfects and deodorizes in one easy step. It cleans, disinfects and deodorizes toilet bowls, urinals, rims, sinks, sink basins, faucets, tubs, glazed tiles, glazed ceramic, glazed porcelain, chrome, stainless steel, and all non-porous inanimate surfaces found in the bathroom (restroom) (in the presence of organic soil).
- It eliminates odors, leaving bathrooms (restrooms) smelling clean and fresh. Use where odors are a problem. It cleans, disinfects, and deodorizes surfaces by killing odor-causing microorganisms. Its non-abrasive formula is designed for use (Use it daily) on (restroom surfaces): glass, glazed ceramic (restroom surfaces), glazed tile, glazed porcelain, chrome, stainless steel, and plastic surfaces associated with floors, walls, fixtures, toilets, urinals, sinks, shower rooms, and locker rooms.

DIRECTIONS FOR USE

For surfaces and/or objects that may come into direct contact with children at the mouthing stage of development a rinse with potable water is recommended.

(For labels that list medical premises and metal and/or stainless steel surfaces, one of the following statements must be used:)

This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

or

This product is not for use on critical and semi-critical medical device surfaces.

GENERAL CLEANING: Spray soiled area then wipe with a dry paper towel or lint-free cloth.

DISINFECTING, DEODORIZING: Remove gross filth or heavy soil prior to application of (the product or product name). Hold container six to eight inches from the surface to be treated. Spray area until it is covered with the product. Allow surface to remain visibly wet for 5 minutes. No scrubbing necessary. Allow treated surfaces to air dry or wipe off with a clean (cloth) (mop) (sponge).

When using on food contact surfaces: counter tops, stovetops, highchairs, kitchen appliances, thoroughly rinse all treated surfaces with potable (tap) water. This product must not be used to clean eating utensils, glassware and dishes.

SC-RTU DISINFECTANT CLEANER is an effective disinfectant against: *Pseudomonas aeruginosa* (ATCC 15442), *Salmonella enterica* (Salmonella) (ATCC 10708), *Staphylococcus aureus* (ATCC 6538), Methicillin Resistant *Staphylococcus aureus* (MRSA) (ATCC 33591), Vancomycin Resistant *Enterococcus faecium* (ATCC 51559), Multi-Drug Resistant (MDR) *Acinetobacter baumannii* Ceftazidime and Gentamicin Resistant, Extended Spectrum Beta-Lactamase (ESBL) *Escherichia coli* and *Klebsiella pneumoniae* New Delhi Metallo-Beta Lactamase (NDM-1) Carbapenem Resistant.

One-step cleaning and disinfecting of toilet bowls and urinals: Remove water from bowl by forcing water over the trap with swab mop applicator. Press swab mop against side of the bowl to remove excess water from applicator. Apply 1 to 2 ounces (28 to 56 mL) of this product evenly across bowl surface, allowing sufficient time for (the product or product name) to cover entire surface for maximum cleaning. Swab bowl completely using a scrub brush or toilet mop, making sure to get under the rim. Let stand for 5 minutes and flush.

To disinfect food processing premises: floors, walls and storage areas, hold container six to eight inches from the surface to be treated and spray area until it is covered with the solution. Allow (product or product name) to penetrate and the surface to remain wet for **5 minutes**. Wipe off with a clean cloth, mop or sponge and let air dry. Thoroughly rinse all food contact surfaces with potable water. Heavily soiled areas must be pre-cleaned before using this product. Food products and packaging materials must be removed or carefully protected prior to using this product.

To disinfect food service establishment food contact surfaces: countertops, appliances, tables, hold container six to eight inches from the surface to be treated and spray area until it is covered with the solution. Allow (product or product name) to penetrate and the surface to remain wet for **5 minutes**. Wipe off with a clean cloth, mop or sponge and thoroughly rinse all food contact surfaces in the area with potable water. Heavily soiled areas must be pre-cleaned before using this product. Do not use on eating utensils, glassware and cookware.

Disinfection of animal quarters and kennels: To disinfect pre-cleaned animal quarters and kennels, apply SC-RTU DISINFECTANT CLEANER. Remove all animals and feed from premises. Remove all litter and droppings from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all troughs, racks, and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate the surfaces with the disinfecting solution for a period of **5 minutes** (for Canine Parvovirus). Ventilate building and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. All treated equipment that will contact feed or drinking water must be rinsed with potable water before reuse.

***VIRUCIDAL ACTIVITY:** SC-RTU DISINFECTANT CLEANER is an effective virucide on hard, non-porous surfaces against Human Immunodeficiency Virus Type-1 (HIV-1) and Avian Influenza Virus (H5N1) NIBRG-14, Feline Calicivirus, Norovirus (Norwalk Virus), Canine Parvovirus and Rhinovirus Type 14 (ATCC VR-284), Human Rotavirus (ATCC VR-2018), Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Duck Hepatitis B Virus (DHBV) and Bovine Viral Diarrhea Virus (BVDV) when the treated surface is allowed to remain wet for **5 minutes**. This product is effective against Poliovirus Type 1 (ATCC VR-1562) when the treated surface is allowed to remain wet for **5 minutes**. Allow treated surfaces to air dry or wipe off with a clean (cloth) (mop) (sponge).

(Optional statements to appear anywhere on the label)

- Respiratory illnesses attributable to Pandemic 2009 H1N1 are caused by Influenza A virus. SC-RTU DISINFECTANT CLEANER is a broad-spectrum hard surface disinfectant that has been shown to be effective against Polio virus and is expected to inactivate all Influenza A viruses including Pandemic 2009 H1N1 (formerly called swine flu).

KILLS HIV-1, HBV and HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1, Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV AND HCV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks, and eye coverings.

CLEANING PROCEDURES: Target surfaces must be cleaned prior to disinfection, as the presence of heavy soil on a surface may reduce the intended disinfectant efficacy of the product.

CONTACT TIME: Allow surfaces to remain wet for 2 minutes. (HIV-1 is inactivated in 30 seconds, HBV and HCV are inactivated in 1 minute)

INFECTIOUS MATERIALS DISPOSAL: Any materials used in the cleaning process that may contain blood or body fluids are to be disposed of immediately in accordance with local regulations for infectious materials disposal.

EFFICACY TESTS HAVE DEMONSTRATED THAT SC-RTU DISINFECTANT CLEANER IS AN EFFECTIVE BACTERICIDE AND VIRUCIDE IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).

For Ultrasound Transducers and Probes:

Use only on external surfaces of ultrasound transducers and probes.

With a clean washcloth, clean gel from external surface of the ultrasound transducer or probe to be disinfected. Then thoroughly wet probe with spray. Treated surface must remain wet for 5 minutes. Let air dry.

SANITIZE NON-FOOD CONTACT SURFACES and DEODORIZE: To sanitize/deodorize hard, non-porous surfaces, hold container six to eight inches from the surface to be treated. Spray area until it is covered with the product. Allow surface to remain visibly wet for 5 seconds. SC-RTU DISINFECTANT CLEANER is an effective sanitizer against *Staphylococcus aureus* (Staph) (ATCC 6538) and *Klebsiella pneumoniae* (ATCC 4352). Let surface dry. For heavily soiled surfaces, a pre-cleaning step is required.

For surfaces that may come in contact with food, a potable water rinse is required.

SC-RTU DISINFECTANT CLEANER will not harm most surfaces: including acrylic, sealed fiberglass and vinyl.

Do not use on unpainted wood.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.


(Optional) You may contact XXX/XXX-XXXX for emergency medical treatment information.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage and disposal. Store in a dry place no lower in temperature than 10° C or higher than 50° C. Rinse the emptied container thoroughly. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.



Bathtub



Changing Table



Computer




Baby crib




Door Knob



Faucet



Garbage Can



Tub and Shower walls



Baby's Room



Shopping Cart



Toilet