



MAMMALIAN TOXICOLOGY OF SARCOSINATE

Applicable to these current Stepan products:

MAPROSYL® 30-B	MAPROSYL® 30-LS	MAPROSYL® 30-MP
----------------	-----------------	-----------------

Applicable to these inactive Stepan products:

MAPROSYL® 30		
--------------	--	--

Toxicological Information:

<u>Test/Conditions</u>	<u>Results/Classification</u>	<u>References</u>
Mammalian Toxicology:		
Primary Eye Irritation (rabbit) (21 days) n=6	MMS ¹ =47.2/110 (severely irritating to eyes @ 30% active)	Stepan Study No. 91-025
Primary Skin Irritation (rabbit) (72 hrs.) n=6	PII ² = 5.5/8 (severely irritating to skin @ 30% active)	Stepan Study No. 91-025

References:

- 1) MMS=Maximum Mean Irritation Score
- 2) PII=Primary Irritation Index

MAPROSYL® is a registered trademark of Stepan Company.

Last Update: 10/05/2021

Revision Reference: TX049-03

Nothing contained herein grants or extends a license, express or implied, in connection with patents, issued or pending, of the manufacturer or others. The information contained herein is based on the manufacturer's own study and the works of others. The manufacturer makes no warranties, expressed or implied, as to the accuracy, completeness, or adequacy of the information contained herein. The manufacturer shall not be liable (regardless of fault) to the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, adequacy or furnishing of such information.